



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/623,761

07/21/2003

John H. Laragh

55990/8

4847

31013

7590

04/15/2009

KRAMER LEVIN NAFTALIS & FRANKEL LLP
INTELLECTUAL PROPERTY DEPARTMENT
1177 AVENUE OF THE AMERICAS
NEW YORK, NY 10036

EXAMINER

SHEN, BIN

ART UNIT

PAPER NUMBER

1657

NOTIFICATION DATE

DELIVERY MODE

04/15/2009

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

klpatent@kramerlevin.com

Office Action Summary	Application No. 10/623,761	Applicant(s) LARAGH, JOHN H.	
	Examiner BIN SHEN	Art Unit 1657	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 06 February 2009.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 26-29 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 26-29 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 1657

DETAILED ACTION

Status of the Claims

Claims 1-25 are cancelled. Claims 26-29 are presented for examination on the merits.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 26-27 are rejected under 35 U.S.C. 103(a) as being unpatentable over McMahon (1978). McMahon teaches that some clinics routinely test patients for plasma renin activity, and that these patients fall into three categories: low, medium, and high renin activity hypertensive patients. McMahon teaches that low renin patients can be administered a diuretic alone, i.e., a plasma volume-changing drug. Patients with higher plasma renin activity can be administered renin-blocking or -reducing drugs (see p. 3, for example). McMahon also teaches that it is standard practice, when one drug does not appear to be working, to add a second drug of a different type, i.e. if a diuretic is not working, add a renin-blocking agent, for example (see p. 4, for example). Lastly, McMahon teaches that one should treat the hypertension, not the renin level: because hypertension is a disease of high blood pressure, one must inherently monitor the blood pressure. McMahon also teaches that it is standard practice in treating hypertensive patients to titrate the drug to a proper dosage to eliminate the hypertension; determining proper dosage inherently involves measuring the blood pressure response to a given dosage.

A person of ordinary skill in the art at the time the invention was made would have been motivated to prescribe an anti-renin drug to treat a patient with medium to high PRA because McMahon teaches that such patients can be administered such drugs, and alternatively patients

Art Unit: 1657

with low PRA should be administered diuretic drugs; additionally, McMahon teaches that it is standard practice to titrate dosage to achieve optimal amelioration of hypertensive symptoms, and because that doctors should treat the hypertension, it is inherent that blood pressure should be monitored because hypertension is a disease of high blood pressure.

A person of ordinary skill in the art, upon reading the reference, would also monitoring the treatment of a hypertensive subject by measuring the normal to above normal plasma rennin activity level without require the subject to discontinue use of at least one antihypertensive drug because the discontinue use of the drug would not qualify the subject to be under treatment, thus the treatment would be difficult to monitor.

Hence, it would have been prima facie obvious to one of ordinary skill in the art at the time the invention was made to prescribe a diuretic or renin-blocking drug based on PRA measurement, and to modulate dosages (without require the subject to discontinue use of at least one drug) based on blood pressure response to drug administration.

Claims 26-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over McMahon (1978) in view of Laragh (1998).

The teachings of McMahon are discussed above and applied as before.

McMahon does not expressly teach that a threshold level of plasma renin activity is 0.65 ng/ml/h.

Laragh teaches exactly that threshold as a guide for diagnosing primary aldosteronism (see p. 171S, col. 2, for example). Laragh teaches that finding a baseline plasma renin activity for every new patient greatly facilitates drug choice. The goal is to find the primary pressor mechanism: high renin indicates an anti-renin drug, while low renin indicates an antivolume drug. Laragh further teaches that the PRA test guides, simplifies, and hastens the selection of the right single drug for each patient (see p. 171 S, col. 2, for example).

A person of ordinary skill in the art at the time the invention was made would have been motivated to treat a hypertensive with an anti-renin drug if their PRA was greater than 0.65 ng/ml/h because Laragh teaches that below that level the underlying pathology probably involves primary aldosteronism rather than renin-mediated hypertension. A person of ordinary skill in the art, upon reading the reference, would also monitoring the treatment of a hypertensive subject by

Art Unit: 1657

measuring the normal to above normal plasma rennin activity level without require the subject to discontinue use of at least one antihypertensive drug because the discontinue use of the drug would not qualify the subject to be under treatment, thus the treatment would be difficult to monitor.

Hence, it would have been prima facie obvious to one of ordinary skill in the art at the time the invention was made to prescribe a renin-blocking drug above 0.65 ng/ml/h PRA, and to modulate dosages (without require the subject to discontinue use of at least one drug) based on blood pressure response to drug administration.

Conclusion

No claim is allowed.

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Certain papers related to this application may be submitted to Art Unit 1657 by facsimile transmission. The faxing of such papers must conform with the notices published in the Official Gazette, 1156 OG 61 (November 16, 1993) and 1157 OG 94 (December 28, 1993) (see 37 C.F.R. § 1.6(d)). The official fax telephone number for the Group is 571-273-8300. NOTE: If Applicant *does* submit a paper by fax, the original signed copy should be retained by applicant or applicant's representative. NO DUPLICATE COPIES SHOULD BE SUBMITTED so as to avoid the processing of duplicate papers in the Office.

Any inquiry of a general nature or relating to the status of this application or proceeding

Art Unit: 1657

should be directed to (571) 272-0547.

Patent applicants with problems or questions regarding electronic images that can be viewed in the Patent Application Information Retrieval system (PAIR) can now contact the USPTO's Patent Electronic Business Center (Patent EBC) for assistance. Representatives are available to answer your questions daily from 6 am to midnight (EST). The toll free number is (866) 217-9197. When calling please have your application serial or patent number, the type of document you are having an image problem with, the number of pages and the specific nature of the problem. The Patent Electronic Business Center will notify applicants of the resolution of the problem within 5-7 business days. Applicants can also check PAIR to confirm that the problem has been corrected. The USPTO's Patent Electronic Business Center is a complete service center supporting all patent business on the Internet. The USPTO's PAIR system provides Internet-based access to patent application status and history information. It also enables applicants to view the scanned images of their own application file folder(s) as well as general patent information available to the public.

For all other customer support, please call the USPTO Call Center (UCC) at 800-786-9199.

Any inquiry concerning rejections or objections in this communication or earlier communications from the examiner should be directed to Bin Shen, whose telephone number is (571) 272-9040. The examiner can normally be reached on Monday through Friday, from about 9:00 AM to about 5:30 PM. A phone message left at this number will be responded to as soon as possible (i.e., shortly after the examiner returns to her office).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jon Weber can be reached at (571) 272-0925.

B Shen

Art Unit 1657

/JON P WEBER/

Supervisory Patent Examiner, Art Unit 1657